

3-POINT SEATBELTS FOR ALL SEATING POSITIONS	STD	STD	STD	STD	STD	STD	STD
HEIGHT ADJUSTABLE FRONT SEATBELTS	STD	STD	STD	STD	STD	STD	STD
FRONT SEATBELT PRETENSIONERS WITH FORCE LIMITERS	STD	STD	STD	STD	STD	STD	STD
HEIGHT ADJUSTABLE HEAD RESTRAINTS (1ST AND 2ND ROW PASSENGERS)	STD	STD	STD	STD	STD	STD	STD
RISE BODY CONSTRUCTION	STD	STD	STD	STD	STD	STD	STD
REAR CENTRE HIGH MOUNT STOP LAMP	STD	STD	STD	STD	STD	STD	STD
TIRE PRESSURE MONITORING SYSTEM (TPMS)	STD	STD	STD	STD	STD	STD	STD
SIDE-IMPACT DOOR BARS	STD	STD	STD	STD	STD	STD	STD
HILL START ASSIST	STD	STD	STD	STD	STD	STD	STD
FORWARD COLLISION MITIGATION (FCM) WITH PEDESTRIAN WARNING	-	-	-	-	-	-	STD
LANE DEPARTURE WARNING (LDW)	-	-	-	-	-	-	STD
BLIND SPOT WARNING (BSW)	-	-	-	STD	STD	STD	STD
REAR CROSS TRAFFIC ALERT (RCTA)	-	-	-	STD	STD	STD	STD
WHEEL LOCKS (FOR ALLOY WHEELS ONLY)	-	ACC	ACC	ACC	ACC	ACC	ACC

PERFORMANCE

2.0L DOHC MIVEC 4 CYLINDER ENGINE (148 HP, TORQUE 145 LB-FT)	STD	STD	STD	-	-	-	-
---	-----	-----	-----	---	---	---	---

2.4 L SOHC MIVEC 4 CYLINDER ENGINE (168 HP, TORQUE 167 LB-FT)	-	-	-	STD	STD	STD	STD
CONTINUOUSLY VARIABLE TRANSMISSION (CVT)	STD	STD	STD	-	-	-	-
SPORTRONIC® CVT WITH PADDLE SHIFTERS	-	-	-	STD	STD	STD	STD
ALL-WHEEL CONTROL (AWC) WITH DRIVE MODE SELECTOR (2WD/4WD AUTO/4WD LOCK)	-	-	STD	STD	STD	STD	STD
FRONT MACPHERSON STRUT AND REAR MULTI-LINK SUSPENSION	STD	STD	STD	STD	STD	STD	STD
FRONT AND REAR STABILIZER BAR	STD	STD	STD	STD	STD	STD	STD
VENTILATED FRONT DISC AND SOLID REAR DISC BRAKES	STD	STD	STD	STD	STD	STD	STD
ELECTRIC POWER ASSISTED RACK AND PINION STEERING	STD	STD	STD	STD	STD	STD	STD
EXTERIOR							
16" STEEL WHEELS WITH WHEELCOVERS	STD	-	-	-	-	-	-
16" ALLOY WHEELS	-	STD	STD	-	-	-	-
18" ALLOY WHEELS	-	-	-	STD	-	STD	STD
18" BLACK PAINTED ALLOY WHEELS	-	-	-	-	STD	-	-
P215/70 R16 ALL-SEASON TIRES	STD	STD	STD	-	-	-	-
P225/55 R18 ALL-SEASON TIRES	-	-	-	STD	STD	STD	STD

SPACE SAVER TEMPORARY TIRE	STD	STD	STD	STD	STD	STD	STD
BLACK FRONT BUMPER CENTRE	STD	STD	STD	STD	STD	STD	STD
FRONT BUMPER WITH DYNAMIC SHIELD STYLING AND CHROME ACCENTS	STD	STD	STD	STD	STD	STD	STD
FRONT AND REAR MATERIAL BLACK SKID PLATE STYLING	STD	STD	STD	-	STD	-	-
FRONT SILVER PAINTED SKID PLATE STYLING	-	-	-	STD	-	STD	STD
BLACK WHEEL ARCH MOULDINGS	STD	STD	STD	STD	STD	STD	STD
AUTO-OFF HALOGEN HEADLAMPS	STD	STD	STD	STD	STD	-	-
AUTO-ON AND OFF SUPER-WIDE RANGE XENON HIGH INTENSITY DISCHARGE (HID) HEADLAMPS	-	-	-	-	-	STD	STD
AUTO HIGH BEAMS (AHB)	-	-	-	-	-	-	STD
FRONT FOG LAMPS	-	STD	STD	STD	STD	STD	STD
HEATED SIDE-VIEW MIRRORS	STD	STD	STD	-	-	-	-
HEATED SIDE-VIEW MIRRORS WITH INTEGRATED LED INDICATOR LAMPS	-	-	-	STD	STD	-	-
HEATED AND POWER- FOLDING/ADJUST SIDE- VIEW MIRRORS WITH INTEGRATED LED INDICATOR LAMPS	-	-	-	-	-	STD	STD
DAYTIME RUNNING LIGHTS	STD	-	-	-	-	-	-

REAR CENTRE ARMREST WITH CUP HOLDERS	STD	STD	STD	STD	STD	STD	STD
DOOR TRIM POCKET WITH INTEGRATED BOTTLE (500 ML) HOLDERS (2)	STD	STD	STD	STD	STD	STD	STD
CARGO TIE-DOWN UTILITY HOOKS (X4)	STD	STD	STD	STD	STD	STD	STD
GLOVE BOX WITH ILLUMINATION AND PEN HOLDER	STD	STD	STD	STD	STD	STD	STD
REAR CARGO COMPARTMENTS	STD	STD	STD	STD	STD	STD	STD
REAR CARGO COVER	-	-	-	-	-	-	STD
LEATHER-WRAPPED STEERING WHEEL WITH PIANO BLACK ACCENT	STD	STD	STD	STD	-	STD	STD
LEATHER-WRAPPED STEERING WHEEL WITH PIANO BLACK ACCENT AND RED STITCHING	-	-	-	-	STD	-	-
LEATHER-WRAPPED GEAR SHIFT KNOB	STD	STD	STD	STD	-	STD	STD
LEATHER-WRAPPED GEAR SHIFT KNOB WITH RED STITCHING	-	-	-	-	STD	-	-
URETHANE PARKING BRAKE LEVER WITH CHROME BUTTON	STD	STD	STD	STD	-	STD	STD
LEATHER-WRAPPED PARKING BRAKE LEVER WITH RED STITCHING	-	-	-	-	STD	-	-
SOFT-TOUCH INSTRUMENT PANEL	STD	STD	STD	STD	STD	STD	STD
CARBON BLACK AUDIO TRIM PANEL	STD	STD	STD	STD	STD	-	-

HIGH-CONTRAST SPEEDOMETER AND TACHOMETER	STD	STD	STD	STD	STD	STD	STD
COLOUR MULTI-INFORMATION DISPLAY (TRIP METER, ODOMETER, OUTSIDE TEMPERATURE, AVERAGE FUEL CONSUMPTION, DRIVING DISTANCE TO EMPTY, SERVICE REMINDER, DRIVE MODE INDICATOR, CVT POSITION INDICATOR, WATER TEMPERATURE WARNING LAMP AND LOW FUEL WARNING)	STD	STD	STD	STD	STD	STD	STD
"ECO" MODE INDICATOR	STD	STD	STD	STD	STD	STD	STD
ILLUMINATED IGNITION SWITCH (NOT AVAILABLE WITH FAST-KEY)	STD	STD	STD	-	-	-	-
SEATBELT REMINDER LAMP	STD	STD	STD	STD	STD	STD	STD
REMOTE FUEL LID RELEASE	STD	STD	STD	STD	STD	STD	STD
RAIN-SENSING WINDSHIELD WIPERS	-	-	-	-	-	STD	STD
ASH CUP	ACC	ACC	ACC	ACC	ACC	ACC	ACC
CIGAR LIGHTER	ACC	ACC	ACC	ACC	ACC	ACC	ACC
REMOTE ENGINE START (EXCLUDES 5MT)	ACC	ACC	ACC	ACC	ACC	ACC	ACC
REMOTE ENGINE START, FOB, REPLACEMENT ONLY	ACC	ACC	ACC	ACC	ACC	ACC	ACC
EXTERIOR COLOURS							
QUARTZ BROWN	STD	STD	STD	STD	-	STD	STD
RALLY RED	STD	STD	STD	STD	-	STD	STD

TITANIUM GREY	STD	STD	STD	STD	-	STD	STD
STERLING SILVER	STD	STD	STD	STD	-	STD	STD
OCTANE BLUE	OPT	OPT	OPT	OPT	-	OPT	OPT
PEARL WHITE	OPT	OPT	OPT	OPT	-	OPT	OPT
LABRADOR BLACK	OPT	OPT	OPT	OPT	STD	OPT	OPT

INTERIOR COLOURS

BLACK FABRIC	STD	STD	STD	STD	-	-	-
BLACK ARTIFICIAL SUEDE	-	-	-	-	STD	STD	-
BLACK LEATHER	-	-	-	-	-	-	STD

ENGINE

DRIVETRAIN	FWD	FWD	AWC	AWC	AWC	AWC	AWC
ENGINE TYPE	2.0L MIVEC I-4	2.0L MIVEC I-4	2.0L MIVEC I-4	2.4L MIVEC I-4	2.4L MIVEC I-4	2.4L MIVEC I-4	2.4L MIVEC I-4
ENGINE CODE	4B11	4B11	4B11	4B12	4B12	4B12	4B12
VALVE TRAIN	DOHC 16-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)	DOHC 16-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)	DOHC 16-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)	DOHC 16-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)	DOHC 16-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)	DOHC 16-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)	DOHC 16-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)
DISPLACEMENT (CC)	1998 cc	1998 cc	1998 cc	2360 cc	2360 cc	2360 cc	2360 cc
BORE X STROKE (MM)	86.0 x 86.0 mm	86.0 x 86.0 mm	86.0 x 86.0 mm	88.0 x 97.0 mm	88.0 x 97.0 mm	88.0 x 97.0 mm	88.0 x 97.0 mm
COMPRESSION RATIO	10.0:1	10.0:1	10.0:1	10.5:1	10.5:1	10.5:1	10.5:1

FINAL DRIVE	6.026	6.026	6.026	6.026	6.026	6.026	6.026
--------------------	-------	-------	-------	-------	-------	-------	-------

SUSPENSION

FRONT	MacPherson Strut	MacPherson Strut	MacPherson Strut	MacPherson Strut	MacPherson Strut	MacPherson Strut	MacPherson Strut
FRONT STABILIZER BAR DIAMETER (MM)	22 mm	22 mm	22 mm	22 mm	22 mm	22 mm	22 mm
REAR	Multi-link	Multi-link	Multi-link	Multi-link	Multi-link	Multi-link	Multi-link
REAR STABILIZER BAR DIAMETER (MM)	16 mm	16 mm	16 mm	16 mm	16 mm	16 mm	16 mm

EXTERIOR DIMENSIONS

WHEELBASE (MM/IN.)	2,670 mm / 105.1 in.	2,670 mm / 105.1 in.	2,670 mm / 105.1 in.	2,670 mm / 105.1 in.	2,670 mm / 105.1 in.	2,670 mm / 105.1 in.	2,670 mm / 105.1 in.
LENGTH (MM/IN.)	4,365 mm / 171.8 in.	4,365 mm / 171.8 in.	4,365 mm / 171.8 in.	4,365 mm / 171.8 in.	4,365 mm / 171.8 in.	4,365 mm / 171.8 in.	4,365 mm / 171.8 in.
WIDTH (MM/IN.)	1,810 mm / 71.3 in.	1,810 mm / 71.3 in.	1,810 mm / 71.3 in.	1,810 mm / 71.3 in.	1,810 mm / 71.3 in.	1,810 mm / 71.3 in.	1,810 mm / 71.3 in.
HEIGHT (MM/IN.)	1,645 mm / 64.8 in.	1,645 mm / 64.8 in.	1,645 mm / 64.8 in.	1,645 mm / 64.8 in.	1,645 mm / 64.8 in.	1,645 mm / 64.8 in.	1,645 mm / 64.8 in.
TRACK, FRONT (MM/IN.)	1,525 mm / 60.0 in.	1,525 mm / 60.0 in.	1,525 mm / 60.0 in.	1,540 mm / 60.6 in.	1,540 mm / 60.6 in.	1,540 mm / 60.6 in.	1,540 mm / 60.6 in.
TRACK, REAR (MM/IN.)	1,525 mm / 60.0 in.	1,525 mm / 60.0 in.	1,525 mm / 60.0 in.	1,540 mm / 60.6 in.	1,540 mm / 60.6 in.	1,540 mm / 60.6 in.	1,540 mm / 60.6 in.
MINIMUM GROUND CLEARANCE (MM/IN.)	215 mm / 8.5 in.	215 mm / 8.5 in.	215 mm / 8.5 in.	215 mm / 8.5 in.	215 mm / 8.5 in.	215 mm / 8.5 in.	215 mm / 8.5 in.

INTERIOR DIMENSIONS

PASSENGER SEATING CAPACITY	5	5	5	5	5	5	5
-----------------------------------	---	---	---	---	---	---	---

FRONT LEG ROOM (MM/IN.)	1,056 mm / 41.6 in.	1,056 mm / 41.6 in.	1,056 mm / 41.6 in.	1,056 mm / 41.6 in.	1,056 mm / 41.6 in.	1,056 mm / 41.6 in.	1,056 mm / 41.6 in.
REAR HEAD ROOM (MM/IN.)	963 mm / 37.9 in.	963 mm / 37.9 in.	963 mm / 37.9 in.	963 mm / 37.9 in.	963 mm / 37.9 in.	-	-
REAR HEAD ROOM WITH PANORAMIC (MM/IN.)	-	-	-	-	-	934 mm / 36.8 in.	934 mm / 36.8 in.
REAR SHOULDER ROOM (MM/IN.)	1,410 mm / 55.5 in.	1,410 mm / 55.5 in.	1,410 mm / 55.5 in.	1,410 mm / 55.5 in.	1,410 mm / 55.5 in.	1,410 mm / 55.5 in.	1,410 mm / 55.5 in.
REAR HIP ROOM (MM/IN.)	1,310 mm / 51.6 in.	1,310 mm / 51.6 in.	1,310 mm / 51.6 in.	1,310 mm / 51.6 in.	1,310 mm / 51.6 in.	1,310 mm / 51.6 in.	1,310 mm / 51.6 in.
REAR LEG ROOM (MM/IN.)	921 mm / 36.3 in.	921 mm / 36.3 in.	921 mm / 36.3 in.	921 mm / 36.3 in.	921 mm / 36.3 in.	921 mm / 36.3 in.	921 mm / 36.3 in.

WEIGHTS

GVWR (KG/LBS.)	1,970 kg / 4,343 lbs.	1,970 kg / 4,343 lbs.	1,970 kg / 4,343 lbs.	1,970 kg / 4,343 lbs.	1,970 kg / 4,343 lbs.	1,970 kg / 4,343 lbs.	1,970 kg / 4,343 lbs.
CURB WEIGHT (KG/LBS.)	1,410 kg / 3,109 lbs.	1,410 kg / 3,109 lbs.	1,475 kg / 3,252 lbs.	1,490 kg / 3,285 lbs.	1,490 kg / 3,285 lbs.	1,490 kg / 3,285 lbs.	1,490 kg / 3,285 lbs.
WEIGHT DISTRIBUTION (% F/R)	60 / 40	60 / 40	59 / 41	59 / 41	59 / 41	59 / 41	59 / 41

STEERING

TYPE	Telescopic, Electric Power Steering (EPS)	Telescopic, Electric Power Steering (EPS)	Telescopic, Electric Power Steering (EPS)	Telescopic, Electric Power Steering (EPS)	Telescopic, Electric Power Steering (EPS)	Telescopic, Electric Power Steering (EPS)	Telescopic, Electric Power Steering (EPS)
RATIO	43.69 mm/rev	43.69 mm/rev	43.69 mm/rev	43.69 mm/rev	43.69 mm/rev	43.69 mm/rev	43.69 mm/rev
TURNING CIRCLE - CURB TO CURB (M/FT.)	10.6 m / 34.8 ft.	10.6 m / 34.8 ft.	10.6 m / 34.8 ft.	10.6 m / 34.8 ft.	10.6 m / 34.8 ft.	10.6 m / 34.8 ft.	10.6 m / 34.8 ft.
TURNS - LOCK TO LOCK	3.3 rev	3.3 rev	3.3 rev	3.3 rev	3.3 rev	3.3 rev	3.3 rev

BRAKES

