

	ES 5MT	ES CVT	ES PLUS	GT
SAFETY				
DUAL FRONT AIRBAGS	STD	STD	STD	STD
SIDE-IMPACT CURTAIN AIRBAGS (FRONT AND REAR)	STD	STD	STD	STD
FRONT-SEAT MOUNTED SIDE-IMPACT AIRBAGS	STD	STD	STD	STD
DRIVER'S KNEE AIRBAG	STD	STD	STD	STD
ANTI-LOCK BRAKING SYSTEM (ABS)	STD	STD	STD	STD
ELECTRONIC BRAKE-FORCE DISTRIBUTION (EBD)	STD	STD	STD	STD
ACTIVE STABILITY CONTROL (ASC)	STD	STD	STD	STD
TRACTION CONTROL LOGIC (TCL)	STD	STD	STD	STD
BRAKE OVERRIDE SYSTEM (BOS)	STD	STD	STD	STD
BRAKE ASSIST SYSTEM (BAS)	STD	STD	STD	STD
ANTI-THEFT ENGINE IMMOBILIZER	STD	STD	STD	STD

LATCH SYSTEM (LOWER ANCHORS AND TETHERS FOR CHILD RESTRAINT SEATS)	STD	STD	STD	STD
REAR DOOR CHILD SAFETY LOCKS	STD	STD	STD	STD
3-POINT SEATBELTS FOR ALL SEATING POSITIONS	STD	STD	STD	STD
HEIGHT ADJUSTABLE FRONT SEATBELTS	STD	STD	STD	STD
FRONT SEATBELT PRETENSIONERS WITH FORCE LIMITERS	STD	STD	STD	STD
HEIGHT ADJUSTABLE HEAD RESTRAINTS (DRIVER AND FRONT PASSENGER)	STD	STD	STD	STD
RISE BODY CONSTRUCTION	STD	STD	STD	STD
DAYTIME RUNNING LAMPS AND REAR CENTRE HIGH MOUNT STOP LAMP	STD	STD	STD	STD
HILL START ASSIST	STD	STD	STD	STD

PERFORMANCE

1.2 L DOHC MIVEC 3 CYLINDER ENGINE	STD	STD	STD	STD
5-SPEED MANUAL TRANSMISSION	STD	-	STD	-
CONTINUOUSLY VARIABLE TRANSMISSION (CVT)	-	STD	OPT	STD
FRONT MACPHERSON STRUT AND REAR TORSION BEAM SUSPENSION	STD	STD	STD	STD
FRONT STABILIZER BAR	STD	STD	STD	STD
VENTILATED FRONT DISC AND REAR DRUM BRAKES	STD	STD	STD	STD
ELECTRIC POWER ASSISTED RACK AND PINION STEERING	STD	STD	STD	STD
EXTERIOR				
14" STEEL WHEELS WITH WHEELCOVERS	STD	STD	STD	-
15" ALLOY WHEELS	-	-	-	STD
P165/65 R14 ALL-SEASON TIRES	STD	STD	STD	-
P175/55 R15 ALL-SEASON TIRES	-	-	-	STD

SPACE SAVER TEMPORARY TIRE	STD	STD	STD	STD
AUTO-OFF HALOGEN HEADLAMPS	STD	STD	STD	-
HID HEADLAMPS	-	-	-	STD
FRONT FOG LAMPS	-	-	-	STD
REAR LED COMBINATION LAMPS	STD	STD	STD	STD
FOLDING POWER SIDE- VIEW MIRRORS	STD	STD	STD	-
HEATED AND FOLDING POWER SIDE- VIEW MIRRORS WITH INTEGRATED TURN SIGNAL LAMP	-	-	-	STD
BODY-COLOUR SIDE-VIEW MIRRORS AND DOOR HANDLES AND LIFTGATE HANDLE	STD	STD	STD	STD
SIDE MARKER LAMPS	STD	STD	STD	-
GREEN LAMINATED WINDSHIELD	STD	STD	STD	STD
VARIABLE INTERMITTENT WINDSHIELD WIPERS AND WASHER	STD	STD	STD	STD
ROOF MOUNT ANTENNA - SHORT	STD	STD	STD	STD

REAR WINDOW DEFROSTER WITH TIMER	STD	STD	STD	STD
REAR WING SPOILER	STD	STD	STD	STD
CHROME PLATED HEADLAMP GARNISH	ACC	ACC	ACC	ACC
CHROME PLATED TAILGATE GARNISH	ACC	ACC	ACC	ACC
MUDGUARDS (REAR)	ACC	ACC	ACC	ACC
INTERIOR				
HEATED FRONT SEATS	-	-	-	STD
4-WAY ADJUSTABLE DRIVER'S SEAT (SLIDING AND RECLINING)	STD	STD	STD	-
INTEGRATED DRIVER'S SEAT ARMREST	-	-	-	STD
6-WAY ADJUSTABLE DRIVER'S SEAT (SLIDING, RECLINING AND HEIGHT ADJUSTABLE)	-	-	-	STD
4-WAY ADJUSTABLE FRONT PASSENGER SEAT	STD	STD	STD	STD
60/40 SPLIT FOLDING REAR SEAT	STD	STD	STD	STD

FABRIC SEATING SURFACES	STD	STD	STD	-
PREMIUM FABRIC SEATING SURFACES WITH CONTRAST STITCHING	-	-	-	STD
DRIVER AND FRONT PASSENGER SUN VISORS	STD	STD	STD	STD
DRIVER'S SIDE VANITY MIRROR	STD	STD	STD	STD
TRUNK LAMP	STD	STD	STD	STD
RETRACTABLE ASSIST GRIPS (2)	STD	STD	STD	STD
12V ACCESSORY OUTLET (1)	STD	STD	STD	STD
FLOOR CENTRE CONSOLE CUP HOLDERS	STD	STD	STD	STD
DOOR TRIM POCKET WITH INTEGRATED BOTTLE (500 ML) HOLDERS (2)	STD	STD	STD	STD
URETHANE STEERING WHEEL	STD	STD	STD	-
LEATHER-WRAPPED STEERING WHEEL	-	-	-	STD
STEERING WHEEL WITH PIANO BLACK AND CHROME ACCENTS	-	-	-	STD

URETHANE GEAR SHIFT KNOB	STD	STD	STD	-
LEATHER-WRAPPED GEAR SHIFT KNOB	-	-	-	STD
URETHANE PARKING BRAKE LEVER WITH CHROME BUTTON	STD	STD	STD	STD
PIANO BLACK SHIFTER TRIM PANEL	-	-	-	STD
METER WITH SILVER PAINTED ACCENT	-	-	-	STD
MATERIAL BLACK INSTRUMENT PANEL AND FRONT DOOR ACCENTS	STD	STD	STD	-
PIANO BLACK INSTRUMENT PANEL AND FRONT DOOR ACCENTS	-	-	-	STD
BLACK INTERIOR DOOR HANDLES	STD	STD	STD	-
CHROME FRONT AND BLACK REAR INTERIOR DOOR HANDLES	-	-	-	STD
FLOOR MATS	STD	STD	STD	STD
CARGO MAT	ACC	ACC	ACC	ACC
CARGO NET	ACC	ACC	ACC	ACC
CENTER CONSOLE ILLUMINATION KIT BLUE LED	ACC	ACC	ACC	ACC

FLOOR ILLUMINATION, BLUE LED	ACC	ACC	ACC	ACC
LUGGAGE TRAY	ACC	ACC	ACC	ACC
ALL-SEASON FLOOR GUARDS	ACC	ACC	ACC	ACC

COMFORT & CONVENIENCE

AUTOMATIC CLIMATE CONTROL	-	-	-	STD
MANUAL AIR CONDITIONING	-	-	STD	-
MICRON AIR FILTRATION	-	-	STD	STD
REAR HEATER FLOOR DUCTS	STD	STD	STD	STD
BLUETOOTH® HANDS-FREE CELLULAR PHONE INTERFACE	STD	STD	STD	STD
USB INPUT (RELOCATED TO FRONT OF CENTRE CONSOLE)	STD	STD	STD	STD
POWER DOOR LOCKS WITH REMOTE KEYLESS ENTRY AND PANIC ALARM	-	-	STD	STD
POWER FRONT WINDOWS WITH AUTO-DOWN DRIVER'S WINDOW	STD	STD	-	-

POWER WINDOWS WITH AUTO-UP AND DOWN DRIVER'S WINDOW	-	-	STD	STD
CRUISE CONTROL	-	-	-	STD
140-WATT AM/FM AUDIO WITH 4 SPEAKERS	STD	STD	STD	-
6.5" SMARTPHONE LINK DISPLAY AUDIO WITH 4 SPEAKERS FEATURING ANDROID AUTO™ AND APPLE CARPLAY	-	-	STD	STD
REARVIEW CAMERA	STD	STD	STD	STD
STEERING WHEEL-MOUNTED CRUISE AND AUDIO CONTROLS	-	-	-	STD
STEERING WHEEL-MOUNTED AUDIO CONTROLS	STD	STD	STD	-
TILT AND HEIGHT ADJUSTABLE STEERING WHEEL	STD	STD	STD	STD
RHEOSTAT	STD	STD	STD	STD
SEMI HIGH-CONTRAST METERS	-	-	-	STD

MULTI- INFORMATION DISPLAY (TRIP METER, ODOMETER, AVERAGE FUEL CONSUMPTION, DRIVING DISTANCE TO EMPTY, SERVICE REMINDER, CVT POSITION INDICATOR [CVT MODEL ONLY], WATER TEMPERATURE WARNING LAMP AND LOW FUEL WARNING)	STD	STD	STD	STD
"ECO" MODE INDICATOR (EQUIPPED ON CVT)	-	STD	OPT	STD
SEATBELT REMINDER LAMP	STD	STD	STD	STD
REMOTE FUEL LID RELEASE	STD	STD	STD	STD
WASHER FLUID LEVEL WARNING LAMP	STD	STD	STD	STD
EXTERIOR COLOURS				
INFRARED	STD	STD	STD	STD
WINE RED	OPT	OPT	OPT	OPT
SAPPHIRE BLUE	STD	STD	STD	STD
STARLIGHT SILVER	STD	STD	STD	STD
SUNRISE ORANGE	STD	STD	STD	STD
TITANIUM GREY	STD	STD	STD	STD

MYSTIC BLACK	OPT	OPT	OPT	OPT
PEARL WHITE	OPT	OPT	OPT	OPT

INTERIOR COLOURS

BLACK FABRIC	STD	STD	STD	-
BLACK PREMIUM FABRIC	-	-	-	STD

ENGINE

ENGINE TYPE	1.2L I3	1.2L I3	1.2L I3	1.2L I3
ENGINE CODE	3A92	3A92	3A92	3A92
VALVE TRAIN	DOHC, 12-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)	DOHC, 12-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)	DOHC, 12-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)	DOHC, 12-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)
DISPLACEMENT (CC/CU IN.)	1,193 cc / 72.8cu in.	1,193 cc / 72.8cu in.	1,193 cc / 72.8cu in.	1,193 cc / 72.8cu in.
BORE X STROKE (IN/MM.)	75.0 x 90.0 mm / 3.0 x 3.5 in	75.0 x 90.0 mm / 3.0 x 3.5 in	75.0 x 90.0 mm / 3.0 x 3.5 in	75.0 x 90.0 mm / 3.0 x 3.5 in
COMPRESSION RATIO	10.5:1	10.5:1	10.5:1	10.5:1
HORSEPOWER @ RPM (BHP)	78 hp @ 6,000 rpm	78 hp @ 6,000 rpm	78 hp @ 6,000 rpm	78 hp @ 6,000 rpm
TORQUE @ RPM (LB-FT)	74 lb.-ft. @ 4,000 rpm	74 lb.-ft. @ 4,000 rpm	74 lb.-ft. @ 4,000 rpm	74 lb.-ft. @ 4,000 rpm
ENGINE BLOCK	Aluminum	Aluminum	Aluminum	Aluminum
CYLINDER HEADS	Aluminum	Aluminum	Aluminum	Aluminum
REDLINE RPM	6,500 rpm	6,500 rpm	6,500 rpm	6,500 rpm
FUEL SYSTEM	MPI	MPI	MPI	MPI

EMISSIONS	Tier 3 bin 70	Tier 3 bin 70	Tier 3 bin 70	Tier 3 bin 70
RECOMMENDED FUEL	Regular Unleaded, octane number 87 or RON 91	Regular Unleaded, octane number 87 or RON 91	Regular Unleaded, octane number 87 or RON 91	Regular Unleaded, octane number 87 or RON 91

TRANSMISSION

TYPE	5-speed manual	-	5-speed manual	-
MANUAL RATIOS		-	-	-
1ST	3.545	-	3.545	-
2ND	1.913	-	1.913	-
3RD	1.310	-	1.310	-
4TH	0.973	-	0.973	-
5TH	0.804	-	0.804	-
REVERSE	3.214	-	3.214	-
FINAL DRIVE	4.055	-	4.055	-
TYPE	-	CVT with INVEC-III	CVT with INVEC-III	CVT with INVEC-III
CVT RATIOS	-	Continuously variable between 4.007 - 0.550	Continuously variable between 4.007 - 0.550	Continuously variable between 4.007 - 0.550
REVERSE	-	3.771	3.771	3.771
FINAL DRIVE	-	3.757	3.757	3.757

SUSPENSION

FRONT	MacPherson Strut	MacPherson Strut	MacPherson Strut	MacPherson Strut
REAR	Torsion Beam	Torsion Beam	Torsion Beam	Torsion Beam

EXTERIOR DIMENSIONS

WHEELBASE (MM/IN.)	2,450 mm / 96.5 in.	2,450 mm / 96.5 in.	2,450 mm / 96.5 in.	2,450 mm / 96.5 in.
LENGTH (MM/IN.)	3,795 mm / 149.4 in.	3,795 mm / 149.4 in.	3,795 mm / 149.4 in.	3,795 mm / 149.4 in.
WIDTH (MM/IN.)	1,665 mm / 65.6 in.	1,665 mm / 65.6 in.	1,665 mm / 65.6 in.	1,665 mm / 65.6 in.
HEIGHT (MM/IN.)	1,510 mm / 59.4 in.	1,510 mm / 59.4 in.	1,510 mm / 59.4 in.	1,510 mm / 59.4 in.
TRACK, FRONT (MM/IN.)	1,430 mm / 56.3 in.	1,430 mm / 56.3 in.	1,430 mm / 56.3 in.	1,430 mm / 56.3 in.
TRACK, REAR (MM/IN.)	1,415 mm / 55.7 in.	1,415 mm / 55.7 in.	1,415 mm / 55.7 in.	1,415 mm / 55.7 in.
MIN. GROUND CLEARANCE (MM/IN.)	160 mm / 6.3 in.	160 mm / 6.3 in.	160 mm / 6.3 in.	160 mm / 6.3 in.

INTERIOR DIMENSIONS

PASSENGER SEATING CAPACITY	5	5	5	5
INTERIOR VOLUME (L/CU. FT.)	2,927 L / 103.3 cu ft	2,927 L / 103.3 cu ft	2,927 L / 103.3 cu ft	2,927 L / 103.3 cu ft
PASSENGER VOLUME (L/CU. FT.)	2,440 L / 86.1 cu ft	2,440 L / 86.1 cu ft	2,440 L / 86.1 cu ft	2,440 L / 86.1 cu ft
CARGO VOLUME (L/CU. FT.)	487 L / 17.2 cu ft	487 L / 17.2 cu ft	487 L / 17.2 cu ft	487 L / 17.2 cu ft

PASSENGER SPACE

FRONT HEAD ROOM (MM/IN.)	992 mm / 39.1 in.	992 mm / 39.1 in.	992 mm / 39.1 in.	992 mm / 39.1 in.
FRONT SHOULDER ROOM (MM/IN.)	1,314 mm / 51.7 in.	1,314 mm / 51.7 in.	1,314 mm / 51.7 in.	1,314 mm / 51.7 in.

FRONT HIP ROOM (MM/IN.)	1,241 mm / 48.8 in.	1,241 mm / 48.8 in.	1,241 mm / 48.8 in.	1,241 mm / 48.8 in.
FRONT LEG ROOM (MM/IN.)	1,058 mm / 41.7 in.	1,058 mm / 41.7 in.	1,058 mm / 41.7 in.	1,058 mm / 41.7 in.
REAR HEAD ROOM (MM/IN.)	947 mm / 37.3 in.	947 mm / 37.3 in.	947 mm / 37.3 in.	947 mm / 37.3 in.
REAR SHOULDER ROOM (MM/IN.)	1,296 mm / 51.0 in.	1,296 mm / 51.0 in.	1,296 mm / 51.0 in.	1,296 mm / 51.0 in.
REAR HIP ROOM (MM/IN.)	1,179 mm / 46.4 in.	1,179 mm / 46.4 in.	1,179 mm / 46.4 in.	1,179 mm / 46.4 in.
REAR LEG ROOM (MM/IN.)	864 mm / 34.0 in.	864 mm / 34.0 in.	864 mm / 34.0 in.	864 mm / 34.0 in.

WEIGHTS

GVWR (KG/LBS) - MT	1,320 kg / 2,910 lbs	-	1,320 kg / 2,910 lbs	-
GVWR (KG/LBS) - CVT	-	1,370 kg / 3,020 lbs	1,370 kg / 3,020 lbs	1,370 kg / 3,020 lbs
CURB WEIGHT (KG/LBS) - MT	915 kg / 2,018 lbs	-	915 kg / 2,018 lbs	-
CURB WEIGHT (KG/LBS) - CVT	-	940 kg / 2,073 lbs	940 kg / 2,073 lbs	965 kg / 2,128 lbs

STEERING

TYPE	Rack-and-pinion, Electric Power Assist	Rack-and-pinion, Electric Power Assist	Rack-and-pinion, Electric Power Assist	Rack-and-pinion, Electric Power Assist
RATIO	40.65 mm/rev	40.65 mm/rev	40.65 mm/rev	40.65 mm/rev
TURN CIRCLE - CURB TO CURB (M/FT)	9.2 m / 30.2 ft	9.2 m / 30.2 ft	9.2 m / 30.2 ft	9.2 m / 30.2 ft

BRAKES

FRONT BRAKE TYPE	Ventilated Disc	Ventilated Disc	Ventilated Disc	Ventilated Disc
ANTI-LOCK BRAKES	4 sensor, 4 channel with EBD	4 sensor, 4 channel with EBD	4 sensor, 4 channel with EBD	4 sensor, 4 channel with EBD

FUEL CAPACITY

FUEL TANK CAPACITY (L/GAL.)	35 L / 7.7 gal.	35 L / 7.7 gal.	35 L / 7.7 gal.	35 L / 7.7 gal.
------------------------------------	-----------------	-----------------	-----------------	-----------------

ESTIMATED FUEL CONSUMPTION

5MT - CITY (L/100 KM)	7.1 L/100 km	-	7.1 L/100 km	-
5MT - HIGHWAY (L/100 KM)	5.8 L/100 km	-	5.8 L/100 km	-
5MT - COMBINED (L/100 KM)	6.5 L/100 km	-	6.5 L/100 km	-
CVT - CITY (L/100 KM)	-	6.4 L/100 km	6.4 L/100 km	6.4 L/100 km
CVT - HIGHWAY (L/100 KM)	-	5.5 L/100 km	5.5 L/100 km	5.5 L/100 km
CVT - COMBINED (L/100 KM)	-	6.0 L/100 km	6.0 L/100 km	6.0 L/100 km

WHEELS & TIRES

WHEEL TYPE	Steel	Steel	Steel	Aluminum alloy
WHEEL SIZE	14 in.	14 in.	14 in.	15 in.
TIRE SIZE	P165/65R14	P165/65R14	P165/65R14	P175/55R15
TIRE TYPE	All-season	All-season	All-season	All-season
SPARE TIRE	T115/70D14	T115/70D14	T115/70D14	T115/70D14

WARRANTIES

BASIC	5 years / 100,000 kms	5 years / 100,000 kms	5 years / 100,000 kms	5 years / 100,000 kms
POWERTRAIN	10 years / 160,000 kms	10 years / 160,000 kms	10 years / 160,000 kms	10 years / 160,000 kms
ROADSIDE	5 years / unlimited km	5 years / unlimited km	5 years / unlimited km	5 years / unlimited km