

**FEATURES** 

SAFETY	ES	SE	GT
MITSUBISHI STANDARD SAFETY FEATURES: DUAL FRONT AIRBAGS SIDE-IMPACT CURTAIN AIRBAGS (FRONT & REAR) FRONT SEAT-MOUNTED SIDE-IMPACT AIRBAGS DRIVER'S KNEE AIRBAG ANTI-LOCK BRAKING SYSTEM (ABS) ELECTRONIC BRAKE-FORCE DISTRIBUTION (EBD) ACTIVE STABILITY CONTROL (ASC) TRACTION CONTROL LOGIC (TCL) BRAKE OVERRIDE SYSTEM (BOS) BRAKE OVERRIDE SYSTEM (BOS) BRAKE ASSIST SYSTEM (BAS) ANTI-THEFT ENGINE IMMOBILIZER ANTI-THEFT SECURITY ALARM SYSTEM LATCH SYSTEM (LOWER ANCHORS & TETHERS FOR CHILD RESTRAINT SEATS) REAR DOOR CHILD SAFETY LOCKS 3-POINT SEATBELTS FOR ALL SEATING POSITIONS HEIGHT ADJUSTABLE FRONT SEATBELTS FRONT SEATBELT PRETENSIONERS WITH FORCE LIMITERS HEIGHT ADJUSTABLE FRONT HEAD RESTRAINTS RISE BODY CONSTRUCTION REAR CENTRE HIGH MOUNT STOP LAMP DAYTIME RUNNING LAMPS HILL START ASSIST		S	
LANE DEPARTURE WARNING (LDW)	-	-	S
FORWARD COLLISION MITIGATION (FCM)	-	-	S
PERFORMANCE	ES	SE	GT
1.2 L DOHC MIVEC 3 CYLINDER ENGINE	S	S	S
5-SPEED MANUAL TRANSMISSION	S	-	-
CONTINUOUSLY VARIABLE TRANSMISSION (CVT)	0	S	S
FRONT MACPHERSON STRUT & REAR TORSION BEAM SUSPENSION	S	S	S
FRONT STABILIZER BAR	S	S	S
VENTILATED FRONT DISC & REAR DRUM BRAKES	S	S	S
ELECTRIC POWER-ASSISTED RACK & PINION STEERING	S	S	S
EXTERIOR	ES	SE	GT
14" STEEL WHEELS WITH WHEELCOVERS	S	-	-
14" ALLOY WHEELS	-	S	-
15" ALLOY WHEELS	-	-	S
P165/65 R14 ALL-SEASON TIRES	S	S	-
P175/55 R15 ALL-SEASON TIRES	-	-	S
SPACE SAVER TEMPORARY TIRE	S	S	S
AUTO-OFF HALOGEN HEADLAMPS	S	S	-
AUTO-OFF LED HEADLAMPS	-	-	S
AUTO LED HIGH BEAMS	-	-	S
FRONT FOG LAMPS	-	-	S
POWER SIDE-VIEW MIRRORS	S	S	-
HEATED POWER SIDE-VIEW MIRRORS WITH INTEGRATED TURN SIGNAL LAMP	-	-	S

NOVEMBER 24, 2020 TECHNICAL DATA, FEATURES, OPTIONS AND OTHER EQUIPMENT ARE BASED ON THE LATEST INFORMATION AVAILABLE AT THE TIME OF RELEASE AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. MMSCAN PROHIBITS REPRODUCTION OR DISCLOSURE OF THIS INFORMATION TO THIRD PARTIES. © 2020 MITSUBISHI MOTOR SALES OF CANADA, INC.



#### **FEATURES**

EXTERIOR (CONTINUED)	ES	SE	GT
BODY-COLOUR SIDE-VIEW MIRRORS & DOOR HANDLES	S	S	S
TURN SIGNAL ON FENDER	S	S	-
VARIABLE INTERMITTENT WINDSHIELD WIPERS & WASHER	S	S	S
ROOF MOUNT ANTENNA	S	S	S
REAR WINDOW DEFROSTER WITH TIMER, WIPER & WASHER	S	S	S
LED REAR COMBINATION LAMPS	S	S	S
REAR SPOILER	S	S	S
INTERIOR	ES	SE	GT
HEATED FRONT SEATS	-	-	S
4-WAY ADJUSTABLE DRIVER'S SEAT (SLIDING & RECLINING)	S	S	-
INTEGRATED DRIVER'S SEAT ARMREST	-	S	S
6-WAY ADJUSTABLE DRIVER'S SEAT (SLIDING, RECLINING & HEIGHT ADJUSTABLE)	-	-	S
4-WAY ADJUSTABLE FRONT PASSENGER SEAT	S	S	S
60/40 SPLIT FOLDING REAR SEAT	S	S	S
FABRIC-APPOINTED SEATS	S	S	-
PREMIUM FABRIC-APPOINTED SEATS WITH CONTRAST STITCHING	-	-	S
DRIVER & FRONT PASSENGER SUN VISORS WITH DRIVER'S SIDE VANITY MIRROR	S	S	S
CARGO LAMP	S	S	S
RETRACTABLE ASSIST GRIPS (2)	S	S	S
12V ACCESSORY OUTLET (1)	S	S	S
FLOOR CENTRE CONSOLE WITH CUP HOLDERS	S	S	S
DOOR TRIM POCKET WITH INTEGRATED BOTTLE HOLDERS (2)	S	S	S
URETHANE STEERING WHEEL	S	S	-
LEATHER-WRAPPED STEERING WHEEL	-	-	S
URETHANE GEAR SHIFT KNOB	S	S	-
LEATHER-WRAPPED GEAR SHIFT KNOB	-	-	S
URETHANE PARKING BRAKE LEVER WITH CHROME BUTTON	S	S	S
METER WITH SILVER PAINTED ACCENT	-	-	S
GLOSS BLACK INSTRUMENT PANEL	S	S	-
GLOSS BLACK INSTRUMENT PANEL & FRONT DOOR ACCENTS	-	-	S
BLACK INTERIOR DOOR HANDLES	S	S	-
CHROME FRONT & BLACK REAR INTERIOR DOOR HANDLES	-	-	S
FLOOR MATS	S	S	S
COMFORT & CONVENIENCE	ES	SE	GT
AUTOMATIC CLIMATE CONTROL	S	S	S
MICRON AIR FILTRATION	S	S	S
REAR HEATER FLOOR DUCTS	S	S	S
	1		

NOVEMBER 24, 2020 TECHNICAL DATA, FEATURES, OPTIONS AND OTHER EQUIPMENT ARE BASED ON THE LATEST INFORMATION AVAILABLE AT THE TIME OF RELEASE AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. MMSCAN PROHIBITS REPRODUCTION OR DISCLOSURE OF THIS INFORMATION TO THIRD PARTIES. © 2020 MITSUBISHI MOTOR SALES OF CANADA, INC.



### **FEATURES**

	-		
COMFORT & CONVENIENCE (CONTINUED)	ES	SE	GT
BLUETOOTH® CELLULAR PHONE INTERFACE	S	S	S
USB INPUT	S	S	S
POWER DOOR LOCKS WITH REMOTE KEYLESS ENTRY & PANIC ALARM	-	S	-
FAST-KEY KEYLESS ENTRY WITH PUSH-BUTTON START & PANIC ALARM	-	-	S
POWER FRONT WINDOWS WITH AUTO-DOWN DRIVER'S WINDOW	S	-	-
POWER WINDOWS WITH AUTO-UP & DOWN DRIVER'S WINDOW	-	S	S
CRUISE CONTROL WITH STEERING WHEEL-MOUNTED CONTROLS	-	S	S
AM/FM DISPLAY AUDIO	S	-	-
7" SMARTPHONE LINK DISPLAY AUDIO WITH ANDROID AUTO <sup>™</sup> & APPLE CARPLAY	-	S	S
4 SPEAKERS	S	S	S
REARVIEW CAMERA	S	S	S
STEERING WHEEL-MOUNTED AUDIO CONTROLS	S	S	S
TILT & HEIGHT ADJUSTABLE STEERING WHEEL	S	S	S
SEMI HIGH-CONTRAST SPEEDOMETER & TACHOMETER	-	-	S
MULTI-INFORMATION DISPLAY (TRIP METER, ODOMETER, AVERAGE FUEL CONSUMPTION, DRIVING DISTANCE TO EMPTY, SERVICE REMINDER, TRANSMISSION POSITION INDICATOR, WATER TEMPERATURE WARNING LAMP & LOW FUEL WARNING)	S	S	S
"ECO" MODE INDICATOR (EQUIPPED ON CVT)	0	S	S
SEATBELT REMINDER LAMP	S	S	S
REMOTE FUEL LID RELEASE	S	S	S

NOVEMBER 24, 2020 TECHNICAL DATA, FEATURES, OPTIONS AND OTHER EQUIPMENT ARE BASED ON THE LATEST INFORMATION AVAILABLE AT THE TIME OF RELEASE AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. MMSCAN PROHIBITS REPRODUCTION OR DISCLOSURE OF THIS INFORMATION TO THIRD PARTIES. © 2020 MITSUBISHI MOTOR SALES OF CANADA, INC.



### TECHNICAL AND MECHANICAL SPECIFICATIONS

ENGINE	ES /SE /			
ENGINE TYPE		1.2L I3		
ENGINE CODE	3A92	3A92		
VALVE TRAIN		DOHC, 12-VALVE, MITSUBISHI INNOVATIVE VALVE-TIMING ELECTRONIC CONTROL SYSTEM (MIVEC)		
DISPLACEMENT (CU IN./CC)	72.8 / 11	72.8 / 1193		
BORE X STROKE (IN./MM)	3.0X3.5 / 75.0	)X90.0		
COMPRESSION RATIO	10.5:1	10.5:1		
HORSEPOWER @ RPM (BHP)	78 @ 600	78 @ 6000		
TORQUE @ RPM (LBFT.)	74 @ 400	00		
ENGINE BLOCK	ALUMINU	M		
CYLINDER HEADS	ALUMINU	Μ		
REDLINE RPM	6500			
FUEL SYSTEM	MPI			
EMISSIONS	TIER 3 BIN	70		
RECOMMENDED FUEL	REGULAR UNLEADED, OCTANE	NUMBER 87 OR RON 91		
TRANSMISSION	ES/SE/	GT		
түре	MANUAL RATIOS: 5-SPEED	_		
1 <sup>ST</sup>	3.545	-		
2 <sup>ND</sup>	1.913	-		
3 <sup>RD</sup>	1.31	-		
4 <sup>TH</sup>	0.973	-		
5 <sup>TH</sup>	0.804	-		
REVERSE	3.214	-		
FINAL DRIVE	4.055	-		
туре	CVT WITH INV	ECS-III		
CVT RATIOS	CONTINUOUSLY VARIA	BLE BETWEEN		
	4.007 - 0.5	550		
REVERSE	3.771	3.771		
FINAL DRIVE	3.757	3.757		
SUSPENSION	ES/SE/0	ES/SE/GT		
FRONT	MACPHERSON	MACPHERSON STRUT		
REAR	TORSION BE			
EXTERIOR DIMENSIONS	ES/SE/0	ES/SE/GT		
WHEELBASE (IN./MM)	96.5/245	96.5/2450		
LENGTH (IN./MM)	151.4/38	151.4/3846		
WIDTH (IN./MM)	65.6/166	65.6/1665		
HEIGHT (IN./MM)	59.4/151	59.4/1510		
TRACK, FRONT (IN./MM)	56.3/143	56.3/1430		
TRACK, REAR (IN./MM)	55.7/141	55.7/1415		

NOVEMBER 24, 2020 TECHNICAL DATA, FEATURES, OPTIONS AND OTHER EQUIPMENT ARE BASED ON THE LATEST INFORMATION AVAILABLE AT THE TIME OF RELEASE AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. MMSCAN PROHIBITS REPRODUCTION OR DISCLOSURE OF THIS INFORMATION TO THIRD PARTIES. © 2020 MITSUBISHI MOTOR SALES OF CANADA, INC.



### **TECHNICAL AND MECHANICAL SPECIFICATIONS**

EXTERIOR DIMENSIONS (CONTINUED)				
MIN. GROUND CLEARANCE (IN./MM)	ES/SE/GT 6.3/160			
INTERIOR DIMENSIONS	ES/SE/GT			
PASSENGER SEATING CAPACITY		5		
INTERIOR VOLUME CU. FT / L	103.3/			
PASSENGER VOLUME CU. FT. / L	86.2 /			
CARGO VOLUME CU. FT/ L (SEATS UP)	17.1			
CARGO VOLUME CU. FT / L (SEATS DOWN)	47.0 /			
PASSENGER SPACE	ES / SI	E / GT		
FRONT HEAD ROOM (IN / MM)	39.0 /			
FRONT SHOULDER ROOM (IN / MM)	51.7 /	1314		
FRONT HIP ROOM (IN / MM)	48.8 /	1240		
FRONT LEG ROOM (IN / MM)	41.7 /	1058		
REAR HEAD ROOM (IN / MM)	37.2 /	37.2 / 945		
REAR SHOULDER ROOM (IN / MM)	51.0 /	51.0 / 1296		
REAR HIP ROOM (IN / MM)	46.4 / 1179			
REAR LEG ROOM (IN / MM)	34.2 / 869			
WEIGHTS	ES / SE	GT		
GVWR (LBS./KG) 5MT [CVT]	2910/1320 [3020/1370]	[3020/1370]		
CURB WEIGHT (LBS.KG) 5MT [CVT]	2029/920 [2095/950]	[2128/965]		
STEERING	ES/SE/GT			
ТҮРЕ	RACK-AND-PINION, ELECTRIC POWER ASSIST			
TURN CIRCLE – CURB TO CURB (FT/M)	30.2/9.2			
BRAKES	ES / SE / GT			
FRONT BRAKE TYPE	VENTILATED DISC			
REAR BRAKE TYPE	DRUM			
ANTI-LOCK BRAKES	4 SENSOR 4 CHANNEL WITH EBD			
FUEL CAPACITY	ES / SE / GT			
FUEL TANK CAPACITY (IMP. GAL./L)	7.7 / 35			
ESTIMATED FUEL CONSUMPTION	ES / SE	GT		
5MT CITY/HIGHWAY/COMBINED (L/100KMS)	7.1/5.8/6.5	-		
CVT CITY/HIGHWAY/COMBINED (L/100KMS)	6.6/5.6/6.2	6.6/5.6/6.2		
WHEELS & TIRES	ES / SE	GT		
WHEEL TYPE	STEEL/ALUMINUM ALLOY	ALUMINUM ALLOY		
WHEEL SIZE	14 IN.	15 IN.		
TIRE SIZE	165/65R14	175/55R15		
TIRE SIZE TIRE TYPE	165/65R14 ALL-SEASON	175/55R15 ALL-SEASON		

NOVEMBER 24, 2020 TECHNICAL DATA, FEATURES, OPTIONS AND OTHER EQUIPMENT ARE BASED ON THE LATEST INFORMATION AVAILABLE AT THE TIME OF RELEASE AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. MMSCAN PROHIBITS REPRODUCTION OR DISCLOSURE OF THIS INFORMATION TO THIRD PARTIES. © 2020 MITSUBISHI MOTOR SALES OF CANADA, INC.



#### TECHNICAL AND MECHANICAL SPECIFICATIONS

WARRANTIES	ES / SE / GT	
BASIC	5 YEARS OR 100,000 KILOMETERS	
POWERTRAIN	10 YEARS OR 160,000 KILOMETERS	
ROADSIDE 5 YEARS OR UNLIMITED KILOMETERS		
S = STANDARD O = FACTORY OPTIONAL P = FACTORY PACKAGE N = NOT AVAILABLE A = DEALER INSTALLED OPTION		

NOVEMBER 24, 2020 TECHNICAL DATA, FEATURES, OPTIONS AND OTHER EQUIPMENT ARE BASED ON THE LATEST INFORMATION AVAILABLE AT THE TIME OF RELEASE AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. MMSCAN PROHIBITS REPRODUCTION OR DISCLOSURE OF THIS INFORMATION TO THIRD PARTIES. © 2020 MITSUBISHI MOTOR SALES OF CANADA, INC.