

FEATURES

				112	
ES	SE	LE	SEL	GT	
		-			
	_ S				
-	-	S	S	-	
-	-	-	-	S	
-	-	-	-	S	
_	_	_	_	S	
			ES SE LE S	S S S	



FEATURES

			1 L	AIUI	\LJ
PERFORMANCE	ES	SE	LE	SEL	GT
2.5 L DOHC 4 CYLINDER DIRECT INJECTION ENGINE	S	S	S	S	S
CONTINUOUSLY VARIABLE TRANSMISSION (CVT)	S	S	S	S	S
PADDLE SHIFTERS	S	S	S	S	S
SUPER ALL-WHEEL CONTROL (S-AWC) WITH DRIVE MODE SELECTOR (ECO/NORMAL/SNOW/GRAVEL/TARMAC/MUD)	S	S	S	S	S
ACTIVE YAW CONTROL (AYC)		S	S	S	S
FRONT MACPHERSON STRUT & REAR MULTI-LINK SUSPENSION		S	S	S	S
FRONT & REAR STABILIZER BAR		S	S	S	S
VENTILATED FRONT & REAR DISC BRAKES	S	S	S	S	S
ELECTRIC POWER RACK & PINION STEERING	S	S	S	S	S
ELECTRIC PARKING BRAKE WITH AUTO HOLD	S	S	S	S	S
EXTERIOR	ES	SE	LE	SEL	GT
18" ALLOY WHEELS	S	S	-	-	-
20" TWO-TONE ALLOY WHEELS	-	-	S	S	S
P235/60 R18 ALL-SEASON TIRES	S	S	-	-	-
P255/45 R20 ALL-SEASON TIRES	-	-	S	S	S
TIRE REPAIR KIT	S	S	S	S	S
FRONT & REAR MATERIAL BLACK SKID PLATE STYLING	S	-	-	-	-
FRONT & REAR SILVER SKID PLATE STYLING	-	S	S	S	S
MATERIAL BLACK FRONT/REAR BUMPER LOWER GARNISH & SIDE SILLS	S	S	S	S	-
BODY-COLOUR FRONT/REAR BUMPER LOWER GARNISH & SIDE SILLS	-	-	-	-	S
AUTO LED HEADLAMPS	S	S	S	S	-
AUTO HIGH GRADE LED HEADLAMPS	-	-	-	-	S
HEADLAMP WASHERS	S	S	S	S	S
AUTO LED HIGH BEAMS	-	S	S	S	S
AUTO HEADLAMP LEVELLING	-	-	-	-	S
LED FRONT FOG LAMPS	-	S	S	S	S
HEATED POWER SIDE-VIEW MIRRORS WITH INTEGRATED TURN SIGNAL	S	-	-	-	-
HEATED & POWER-FOLDING SIDE-VIEW MIRRORS WITH INTEGRATED TURN SIGNAL	-	S	S	S	S
WINDSHIELD WIPER DE-ICER	S	S	S	S	S
BODY-COLOUR SIDE-VIEW MIRRORS & DOOR HANDLES	S	S	S	S	S
CHROME WINDOW MOULDING	S	S	S	S	S
VARIABLE INTERMITTENT WINDSHIELD WIPERS & WASHER	S	S	S	S	S
ROOF MOUNT ANTENNA (SHARK FIN TYPE)	S	S	S	S	S
SILVER PAINTED ROOF RAILS	-	S	S	S	S
POWER PANORAMIC SUNROOF WITH SUNSHADE	-	S	S	S	S
REAR WINDOW DEFROSTER WITH TIMER, INTERMITTENT WIPER & WASHER	S	S	S	S	S
REAR PRIVACY GLASS	S	S	S	S	S
LED REAR COMBINATION LAMPS	S	S	S	S	S
REAR SPOILER	S	S	S	S	S
CAPLESS FUEL FILLER	S	S	S	S	S



FEATURES

FEATURE			ベビン		
INTERIOR	ES	SE	LE	SEL	GT
7 PASSENGER SEATING	S	S	S	S	S
HEATED FRONT SEATS	S	S	S	S	S
HEATED REAR SEATS	-	-	-	S	S
6-WAY ADJUSTABLE DRIVER'S SEAT (SLIDING, RECLINING & HEIGHT ADJUSTABLE) WITH POWER	S	S	S	_	_
LUMBAR					
8-WAY POWER DRIVER'S SEAT (SLIDING, RECLINING, HEIGHT ADJUSTABLE, LUMBAR)	-	-	Р	-	-
8-WAY POWER DRIVER'S SEAT (SLIDING, RECLINING, HEIGHT ADJUSTABLE, LUMBAR) WITH KEY- LINKED MEMORY FOR SEAT AND EXTERIOR MIRRORS	-	-	-	S	S
4-WAY ADJUSTABLE FRONT PASSENGER SEAT	S	S	S	-	-
4-WAY POWER FRONT PASSENGER SEAT	-	-	-	S	S
POWER PASSENGER LUMBAR ADJUSTMENT	-	-	-	S	S
40/20/40 SPLIT-FOLDING SLIDING 2ND ROW SEAT	S	S	S	S	S
3RD ROW FOLD-FLAT SEAT	S	S	S	S	S
FABRIC-APPOINTED SEATS	S	S	S	-	-
FAUX SUEDE-APPOINTED SEATS	-	-	Р	-	-
QUILTED LEATHER-APPOINTED SEATS	-	-	-	S	S
SEMI-ANILINE LEATHER APPOINTED SEATS WITH QUILTING	-	-	-	-	Р
CLOTH DOOR INSERT	S	S	S	-	-
LEATHERETTE DOOR INSERT WITH QUILTING	-	-	-	S	S
INTERIOR DOOR ACCENT LIGHTING	-	-	-	-	S
FRONT SEATBACK MULTI-LEVEL POCKETS (DRIVER AND PASSENGER)	S	S	S	S	S
DRIVER & FRONT PASSENGER SUN VISORS WITH ILLUMINATED VANITY MIRRORS	S	S	S	S	S
AUTO-DIMMING REARVIEW MIRROR	-	-	-	S	S
FRONT MAP LAMPS	S	S	S	S	S
CABIN LAMP	S	-	-	-	-
CARGO LAMP	S	S	S	S	S
REAR DOOR PULL-UP SUNSHADE	-	-	-	-	S
RETRACTABLE ASSIST GRIPS (4)	S	S	S	S	S
12V ACCESSORY OUTLET	S	S	S	S	S
FRONT USB INPUTS (TYPE A AND C)	S	S	S	S	S
REAR USB INPUTS (TYPE A AND C)	S	S	S	S	S
FLOOR CENTRE CONSOLE WITH LEATHERETTE ARMREST & CUP HOLDERS	S	S	S	S	S
REAR CENTRE ARMREST WITH CUP HOLDERS	S	S	S	S	S
DOOR TRIM POCKET WITH INTEGRATED BOTTLE HOLDERS (4)	S	S	S	S	S
CARGO TIE-DOWN UTILITY HOOKS (X4)	S	S	S	S	S
CARGO COVER	S	S	S	S	S
LEATHER-WRAPPED STEERING WHEEL & GEAR SHIFT KNOB	S	S	S	S	S
GLOSS BLACK SHIFTER PANEL	S	S	S	S	-
GENUINE ALUMINUM SHIFTER PANEL	-	-	-	-	S
SOFT-TOUCH INSTRUMENT PANEL	S	S	S	S	S
FLOOR MATS	S	S	S	S	S



FEATURES

COMFORT & CONVENIENCE	ES	SE	LE	SEL	GT
DUAL-ZONE AUTOMATIC CLIMATE CONTROL	S	-	-	-	-
3-ZONE AUTOMATIC CLIMATE CONTROL	-	S	S	S	S
MICRON AIR FILTRATION	S	S	S	S	S
REAR HEATER FLOOR DUCTS	S	S	S	S	S
REAR HEATER DUCTS (BACK OF FRONT CENTRE CONSOLE)	S	S	S	S	S
BLUETOOTH® HANDS-FREE CELLULAR PHONE INTERFACE	S	S	S	S	S
SMARTPHONE WIRELESS CHARGER	-	S	S	S	S
PUSH-BUTTON START	S	S	S	S	S
POWER DOOR LOCKS WITH REMOTE KEYLESS ENTRY & PANIC ALARM	S	-	-	-	-
FAST-KEY KEYLESS ENTRY WITH PANIC ALARM	-	S	S	S	S
POWER WINDOWS WITH AUTO-UP & DOWN FUNCTION (FROM ALL WINDOWS)	S	S	S	S	S
CRUISE CONTROL WITH STEERING WHEEL-MOUNTED CONTROLS	S	S	-	-	-
8" SMARTPHONE LINK DISPLAY AUDIO WITH ANDROID AUTOTM & APPLE CARPLAY	S	S	-	-	-
9" SMARTPHONE LINK DISPLAY AUDIO WITH ANDROID AUTOTM & WIRELESS APPLE CARPLAY	-	-	S	S	S
BOSE PREMIUM SOUND SYSTEM WITH 10-SPEAKERS	-	-	-	-	S
NAVIGATION SYSTEM POWERED BY TOMTOM®	-	-	S	S	S
MITSUBISHI CONNECT WITH 24-MONTH FREE TRIAL (MOBILE APP ENROLLMENT REQUIRED)	-	-	S	S	S
6 SPEAKERS	S	S	S	S	-
10 SPEAKERS	-	-	-	-	S
SIRIUSXM® SATELLITE RADIO WITH 3 MONTHS COMPLIMENTARY SERVICE	S	S	S	S	S
REARVIEW CAMERA	S	S	-	-	-
MULTI VIEW CAMERA SYSTEM (MVCS) WITH MOVING OBJECT DETECTION	-	-	S	S	S
STEERING WHEEL-MOUNTED AUDIO CONTROLS	S	S	S	S	S
HEATED STEERING WHEEL	-	S	S	S	S
TILT & TELESCOPING STEERING WHEEL	S	S	S	S	S
HIGH-CONTRAST SPEEDOMETER & TACHOMETER	S	S	S	-	-
7" COLOUR MULTI-INFORMATION DISPLAY	S	S	S	-	-
12.3" FULL DIGITAL DRIVER DISPLAY	-	-	-	S	S
10.8" HEAD-UP DISPLAY (HUD)	-	-	-	-	S
"ECO" MODE INDICATOR	S	S	S	S	S
SEATBELT REMINDER LAMP	S	S	S	S	S
HANDS-FREE POWER LIFTGATE WITH ADJUSTABLE HEIGHT	-	S	S	S	S
REVERSE AUTO-TILT DOOR MIRRORS	-	-	-	S	S
RAIN-SENSING WINDSHIELD WIPERS	-	-	-	S	S

S = STANDARD O = FACTORY OPTIONAL P = FACTORY PACKAGE - = NOT AVAILABLE A = DEALER INSTALLED OPTION



TECHNICAL AND MECHANICAL SPECIFICATIONS

DRIVE TRAIN ENGINE TYPE ENGINE CODE PR25DD DOHC 16-VALVE	IJECTION
ENGINE CODE PR25DD DOHC 16-VALVE	JECTION
DOHC 16-VALVE	
DOHC 16-VALVE	
VALVE TRAIN ELECTRIC INTAKE VVT & HYDRAULIC EX	XHAUST VVT
DISPLACEMENT (CC) 2488	
BORE X STROKE (MM) 89.0 X 100.0	
COMPRESSION RATIO 12.0:1	
HORSEPOWER @ RPM 181 @ 6000	
TORQUE @ RPM (LB-FT.) 181 @ 3600	
ENGINE BLOCK ALUMINUM	
CYLINDER HEADS ALUMINUM	
REDLINE RPM 6000	
EMISSIONS LEV III ULEV50 / TIER 3 BIN 5	50
RECOMMENDED FUEL REGULAR UNLEADED	
ENGINE OIL TYPE 0W-20	
TRANSMISSION	
TYPE CVT	
PADDLE SHIFTERS YES	
CVT AUTOMATIC RATIOS 2.631 - 0.378	
REVERSE 1.960	
FINAL DRIVE 5.694	
SUSPENSION	
FRONT MACPHERSON STRUT WITH STABILI	IZER BAR
REAR MULTI-LINK WITH STABILIZER	BAR
EXTERIOR DIMENSIONS	
WHEELBASE (MM/IN.) 2706 / 106.5	
LENGTH (MM/IN.) 4710 / 185.4	
WIDTH (MM/IN.) MIRROR FOLDED: 1897 / 74	
MIRROR UNFOLDED: 2144 / 8	
HEIGHT (MM/IN.)	
TRACK FRONT (MM/IN)	40 / 00.8
TRACK, FRONT (MM/IN.) 1593 / 62.7	
TRACK, REAR (MM/IN.) 1602 / 63.1	7
MIN. GROUND CLEARANCE (MM/IN.) 18" ALLOY WHEEL: 210 / 8. 20" TWO-TONE ALLOY WHEEL: 21	

^{**} The listed gear ratio are typical (representative) statistics.



TECHNICAL AND MECHANICAL SPECIFICATIONS

INTERIOR DIMENSIONS	
PASSENGER SEATING CAPACITY	7
INTERIOR PASSENGER VOLUME (L/CU. FT.)	W/O SUNROOF: 3555 / 125.5
INTERIOR PASSENGER VOLUME (L/CO. 11.)	W/ SUNROOF: 3420 / 120.8
CARGO AREA (BEHIND FRONT SEAT)	W/O SUNROOF: 2257 / 79.7
(L/CU. FT.)	W/ SUNROOF: 2218 / 78.3
CARGO AREA (BEHIND 2ND ROW SEAT) (L/CU. FT.)	950 / 33.5
CARGO AREA (BEHIND 3RD ROW SEAT) (L/CU. FT.)	332/11.7
PASSENGER SPACE	
FRONT HEAD ROOM (MM/IN.)	1031 / 40.6
[W. SUNROOF]	[986 / 38.8]
FRONT SHOULDER ROOM (MM/IN.)	1470 / 57.9
FRONT HIP ROOM (MM/IN.)	1372 / 54.0
FRONT LEG ROOM (MM/IN.)	1058 / 41.7
2 ND ROW HEAD ROOM (MM/IN.)	993 / 39.1
[W/ SUNROOF]	[950 / 37.4]
2 ND ROW SHOULDER ROOM (MM/IN.) 2 ND ROW HIP ROOM (MM/IN.)	1420 / 55.9
2 ND ROW LEG ROOM (MM/IN.)	1355 / 53.3 1014 / 39.9
3 RD ROW HEAD ROOM (MM/IN.)	· · · · · · · · · · · · · · · · · · ·
3 RD ROW HEAD ROOM (MM/IN.)	876/ 34.5
3 RD ROW SHOULDER ROOM (MM/IN.)	1300/ 51.2
3 RD ROW LEG ROOM (MM/IN.)	1070 / 42.1
	475/ 18.7
WEIGHTS	
GVWR (KG/LBS)	2355/5192
CURB WEIGHT (KG/LBS)	ES/SE/LE/LE PREMIUM/SEL:1690/3725 GT/GT PREMIUM:1750/3858
WEIGHT DISTRIBUTION (% F/R)	ES/SE/LE/LE PREMIUM/SEL:58/42 GT/GT PREMIUM:57/43
TOWING CAPACITY (KG/LBS)*	907 /2000
STEERING	
TYPE	ELECTRIC POWER STEERING (EPS)
RATIO	14.2
TURNING CIRCLE (M/FT)	11.0 / 36.1
TURNS - LOCK TO LOCK	2.6
BRAKES	
FRONT BRAKE TYPE	VENTILATED DISC
FRONT BRAKE DIAMETER (MM/IN)	350/13.8
REAR BRAKE TYPE	VENTILATED DISC
REAR BRAKE DIAMETER (MM/IN)	330/13.0
ABS	4-WHEEL, 4 CHANNEL, 4 SENSOR WITH ELECTRONIC BRAKE-FORCE DISTRIBUTION (EBD) AND BRAKE ASSIST



TECHNICAL AND MECHANICAL SPECIFICATIONS

ELECTRICAL	
BATTERY	EFB-L3
ALTERNATOR (AMPS)	12V-120A
FUEL CAPACITY	
FUEL TANK CAPACITY (L/IMP. GAL)	55 / 12.0
ESTIMATED FUEL CONSUMPTION	
CITY (L/100KMS)	9.7
HIGHWAY (L/100KMS)	7.9
COMBINED (L/100KMS)	8.9
WHEELS & TIRES	
WHEEL TYPE	ES/SE: 18X7.5J ALUMINUM
	LE/LE PREMIUM/SEL/GT/GT PREMIUM: 20X8J ALUMINUM
WHEEL SIZE	ES/SE: 18 INCH
WITELE SIZE	LE/LE PREMIUM/SEL/GT/GT PREMIUM: 20 INCH
TIRE SIZE	ES/SE: P235/60 R18
TITLE SIZE	LE/LE PREMIUM/SEL/GT/GT PREMIUM: P255/45 R20
TIRE REPAIR KIT	STANDARD
WARRANTIES	
BASIC	5 YEARS OR 100,000 KILOMETERS
POWERTRAIN	10 YEARS OR 160,000 KILOMETERS
ROADSIDE	5 YEARS OR UNLIMITED KILOMETERS